




## SerSeTesti (er)-vices

- ▶ —
- ▶ —
- ▶ —
- ▶ —
- ▶ —
- ▶ —
- ▶ —
- ▶ —





# Cyclic Testing




+ROORZD\ +RXVWRQ·V 7HVWLQJ 'HS DUWPHQW  
SHUIRUPV F\FOLF WHVWLQJ ZKLFK LQ DGGLWLRQ  
WR PHDVXULQJ WKH FDSDFLW\ RI QHZ  
SURGXFWV WUDFNV SHUIRUPDQFH RYHU WLPH  
ZLWK D WKRURXJK DQDO\VLV RI ZHDU

Testing Services Division:

++, PDLQWDLQV RQH RI WKH ZRUOG·V ODUJHVW DQG PRVW FRPSO  
WHVWLQJ HTXLSPHQW DV ZHOO DV DQ H[SHUW VWDII GHGLFDWH  
LQGXVWULHV VDIH SURGXFWLYH DQG SURÀWDEOH



# Water Bag Proof Load Testing



An economical alternative to solid weight testing when ample water supplies are available,  
+ R O O R Z D \ · V Z D W H U E D J W  
transportation, handling, and storage costs while saving time.


## Further services include:

- ▶ Full complement of auxiliary rigging and accessories
- ▶ & H U W L À H G \$ 6 7 0 ( D Q G \$ :: \$ & V S H F
- ▶ Calibrated measuring equipment
- ▶ , Q K R X V H W H F K Q L F D O V H U Y L F H V

Fully trained technicians

7 U D Q V S R U W D W L R Q W R \ R X U V L W H

# Solid Weight Proof Load Testing



Holloway Houston supplies modular

Modular Solid Weights





, QÀHOG 6HUYLHV



+ROORZD\·V WHVWLQJ  
OHYHUDJH \HDUV RI H[SH  
ODUJH LQYHQWRU\ RI K\G  
VKDFNOHV UXQQLQJ  
DQWLWZR EURN VVWH  
PHDVXULQJ HTXLSPHG  
XQPDWFKHG LQÀHOG VHUY  
RU RXUV


, QÀHOG VHUYLFHV LQFOX



- ▶ Tension Measurement
- ▶ Onboard Weighing
- ▶ Center of Gravity Calculations
- ▶ Calibration Services
- ▶ Specialty Weighing
- ▶ Crane Testing
- ▶ Pad Eye Pulling



- ▶ Field Socketing
- ▶ Field Testing of Sockets



WEIGHING SERVICES

SERVICES

# Inspection & Repair

E/QB/BVQDQVDBRQWIDRQH2WQHRY

- ▶ Liquid Penetrant Testing
  - ▶ Wet or Dry Magnetic Particle Inspection
  - ▶ Ultrasonic Testing
  - ▶ Pad Eye Visual Inspection & Proof Testing Sling
  - ▶ Sandblasting and Welding
  - ▶ In-House Machining & Fabrication
  - ▶ ([SHULHQFHG & HUWLH
- +ROORZD\·V FHUWLÀHG D  
WHFKQLFLDQV SHUIRUP YL  
RWKHU QRQGHVVWUXFWLYH  
EORFNV HOHYDWRU OLQNY  
EDUV DQG PDQ\ RWKH  
DVVHPEOLHV
- +ROORZD\ DOVR SURYLG  
V H P L D Q Q X D O L Q V  
U H F H U W L I L F D W L R Q L  
` P @ P \ O @ X L p H O À P ` P



# NDT



SERVICES



# Rigging Inspection Services



# Multimedia Services

+ + , . V P X O W L P H G L D W H D P V S H F L D O L ] H V L Q E U H D N W H V W I R  
G R F X P H Q W D W L R Q R I W H V W L Q J U H S D L U D Q G R W K H U V H U Y L F H V  
Y L G H R V ) R U P R U H L Q I R U P D W L R Q D E R X W R X U D I I R U G D E O H D Q E ð V H



1

◆

# Technical Services

Stable, accurate, low-noise signal conditioning

+/-0.5% measurement accuracy



0.5 microstrain measurement resolution

Individual input cards for strain gauge and strain


gauge-based transducers, sensors with  
high-level voltage outputs, and linear variable  
displacement transducers


Built-in, electronically selectable bridge completion  
for 120-, 350-, and 1000-ohm strain gauges

Maximum scan rate of 2048 samples per second









# MERBAR Quick Shot Spreader Bars

HHI offers custom-fabricated lifting beams, spreader bars, tri-links, equalizer bars, lifting frames, and other lifting hardware in any quantity, and all hardware meets ASME, DNV, API, and other requirements. HHI also offers turnkey lifting solutions designed, deployed, and serviced by lifting industry experts.


## **HHI Fabricated Equipment Features:**

Fabricated to take Crosby G2130 & G2160 shackles for crown and drop connections.

Proof-tested to 125%/150% of SWL (minimum).


Standard coating: sandblasted to near white, primed, and painted with two coats of urethane enamel.

Includes data book containing all mill certs, NDE reports, proof-test certs, weld certs, etc., as applicable.



### **Note:**

1. Spreader bars can be proof-tested to increased



—

